

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	359	380/283.ccls.	US-PGPUB; USPAT	OR	OFF	2009/12/02 12:36
L2	1399	380/44.ccls.	US-PGPUB; USPAT	OR	OFF	2009/12/02 12:37
L3	0	(symmetrical with encryption near key).clm. same (useful adj data).clm.	US-PGPUB; USPAT	OR	ON	2009/12/02 12:40
L7	2	("2002/0023216").URPN.	USPAT	OR	OFF	2009/12/02 12:41
L9	2	("7215775").URPN.	USPAT	OR	OFF	2009/12/02 12:42
S1	0	"20020034300.pn"	US-PGPUB; USPAT	OR	OFF	2007/06/21 16:57
S2	1	("20020034300").PN.	US-PGPUB	OR	OFF	2007/06/21 16:58
S3	5	doebrich.in.	US-PGPUB; USPAT	OR	OFF	2007/06/21 16:59
S4	3	heidel-rol\$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/21 16:59
S5	10	linzenkirchner.in.	US-PGPUB; USPAT	OR	OFF	2007/06/21 17:00
S6	7	linzenkirchner-e\$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/21 17:00
S7	29029	siemens.as.	US-PGPUB; USPAT	OR	OFF	2007/06/21 17:01
S8	4	((("5745578") or ("6031913") or ("20020035687") or ("20020107897")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/21 17:01
S9	4	("5745578").URPN.	USPAT	OR	OFF	2007/06/21 17:31

S10	70	(generat\$3 calculat\$3 creat\$3) with symmetric near keys with receiv\$3 with (data infromation seed)	US-PGPUB; USPAT	OR	ON	2007/06/21 17:47
S11	3	(generat\$3 calculat\$3 creat\$3) with symmetric near keys with (measur\$5 monitor\$3)	US-PGPUB; USPAT	OR	ON	2007/06/21 17:48
S12	3	(generat\$3 calculat\$3 creat\$3) with symmetric near key with (measur\$5 monitor\$3)	US-PGPUB; USPAT	OR	ON	2007/06/21 17:59
S13	1	(generat\$3 calculat\$3 creat\$3) with symmetric near key with (stochastic\$4)	US-PGPUB; USPAT	OR	ON	2007/06/21 17:59
S14	1	symmetric near key with (stochastic\$4)	US-PGPUB; USPAT	OR	ON	2007/06/22 11:25
S15	1	"6031913".pn. and interleav\$3	US-PGPUB; USPAT	OR	ON	2007/06/22 11:25
S16	812	380/44.ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/22 16:57
S17	197	(generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near number	US-PGPUB; USPAT	OR	ON	2008/04/25 10:54
S18	33	(generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near number same (transmi\$5 transfer\$4 send\$3) with (pseudo near random pseudo\$1random random) near number	US-PGPUB; USPAT	OR	ON	2008/04/25 10:55
S19	30	(generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near number same (transmi\$5 transfer\$4 send\$3) with (pseudo near random pseudo\$1random random) near number and (@ad< "20030707" @prad< "200307070" @rlad< "20030707")	US-PGPUB; USPAT	OR	ON	2008/04/25 10:56

S20	30	((generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near number same (transmi\$5 transfer\$4 send\$3) with (pseudo near random pseudo\$1random random) near number) and (@ad<"20030707"@prad<"200307070"@rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/04/25 10:57
S21	44	(generat\$3 calculat\$3 comput\$3) near (pseudo near random pseudo\$1random random) near number with symmetric near key and (@ad<"20030707"@prad<"200307070"@rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/04/25 11:09
S22	26	(generat\$3 calculat\$3 comput\$3) near (pseudo near random pseudo\$1random random) near number with symmetric near key and (@ad<"20030707"@prad<"200307070"@rlad<"20030707") not S18	US-PGPUB; USPAT	OR	ON	2008/04/25 11:10
S23	197	(generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near number	US-PGPUB; USPAT	OR	ON	2008/04/25 11:23
S24	205	(generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/04/25 11:24
S25	21	(pseudo near random pseudo\$1random random) near (value number) with (form\$3 calculat\$3 comput\$3 generat\$3) with (stochastic\$4 johnson\$1nyquist thermal radioactive temperature speed rotat\$3 voltage current flow near rate velocity concentration humidity) and (generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/04/25 11:27

S26	21	(pseudo near random pseudo \$1random random) near (value number) with (deriv\$5 form\$3 calculat\$3 comput\$3 generat\$3) with (stochastic\$4 johnson\$1nyquist thermal radioactive temperature speed rotat\$3 voltage current flow near rate velocity concentration humidity) and (generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/04/25 11:28
S27	0	("2003/0033537").URPN.	USPAT	OR	OFF	2008/04/25 11:35
S28	2	(multiple plurality dual) with symmetric near key with time near (period interval)	US-PGPUB; USPAT	OR	ON	2008/04/25 14:30
S29	2	(US-20030033537-\$.did. or (US-7215775-\$.did.	US-PGPUB; USPAT	OR	OFF	2008/04/25 14:53
S30	0	S29 and internet	US-PGPUB; USPAT	OR	OFF	2008/04/25 14:53
S31	0	random near value with measur\$5 with symmetric near key	US-PGPUB; USPAT	OR	ON	2008/07/24 15:20
S32	0	random with measur\$5 with symmetric near key	US-PGPUB; USPAT	OR	ON	2008/07/24 15:20
S33	0	(pseudo near random pseudo \$1random random) near (value number) with (measur\$5) with (stochastic\$4 johnson\$1nyquist thermal radioactive temperature speed rotat\$3 voltage current flow near rate velocity concentration humidity) and (generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo \$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 15:21

S34	4	(pseudo near random pseudo \$1random random) near (value number) with (measur \$5) and (generat\$3 calculat\$3 comput\$3) with symmetric near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 15:21
S35	58	(pseudo near random pseudo \$1random random) near (value number) with (measur \$5) and (generat\$3 calculat\$3 comput\$3) near key with (pseudo near random pseudo \$1random random) near (value number) not S34	US-PGPUB; USPAT	OR	ON	2008/07/24 15:24
S36	20	("5781458"). URPN.	USPAT	OR	OFF	2008/07/24 15:26
S37	0	(remov\$3 delet\$3) with (high near order most near significant) near bit with (pseudo near random pseudo \$1random random) near (value number) and (generat \$3 calculat\$3 comput\$3) near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 17:11
S38	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (pseudo near random pseudo \$1random random) near (value number) and (generat \$3 calculat\$3 comput\$3) near key with (pseudo near random pseudo\$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 17:12
S39	1	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (pseudo near random pseudo \$1random random) near (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 17:12
S40	2	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number) and (generat \$3 calculat\$3 comput\$3) near key with (value number)	US-PGPUB; USPAT	OR	ON	2008/07/24 17:17

S41	11	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number) and (generat \$3 calculat\$3 comput\$3) with key with (value number)	US- PGPUB; USPAT	OR	ON	2008/07/24 17:21
S42	9	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number) and (generat \$3 calculat\$3 comput\$3) with key with (value number) not S40	US- PGPUB; USPAT	OR	ON	2008/07/24 17:21
S43	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) with reduc\$4 with period\$6	US- PGPUB; USPAT	OR	ON	2008/07/24 17:23
S44	193	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5)	US- PGPUB; USPAT	OR	ON	2008/07/24 17:28
S45	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) with seed with key	US- PGPUB; USPAT	OR	ON	2008/07/24 17:33
S46	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) with seed	US- PGPUB; USPAT	OR	ON	2008/07/24 17:33
S47	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5 seed) same (generat\$3 calculat\$3 comput\$3) near key	US- PGPUB; USPAT	OR	ON	2008/07/24 17:34
S48	8	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5 seed) and (generat\$3 calculat \$3 comput\$3) near key	US- PGPUB; USPAT	OR	ON	2008/07/24 17:34
S49	161	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/24 17:35

S50	8	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5 seed) and (generat\$3 calculat\$3 comput\$3) with key not S48	US-PGPUB; USPAT	OR	ON	2008/07/24 17:36
S51	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) same reduc\$4 with (perio\$7 pattern) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/07/24 17:55
S52	6	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) same (remov\$3 reduc\$4) with (perio\$7 pattern) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/07/24 17:55
S53	161	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/07/24 17:56
S54	161	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (value number measur\$5 seed) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/07/24 17:57
S55	0	(remov\$3 delet\$3) with high near order near bit with random adj (value number measur\$5 seed) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US-PGPUB; USPAT	OR	ON	2008/07/28 11:53

S56	1	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with random adj (value number measur\$5) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:53
S57	1	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with random adj (value number measur\$5) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:56
S58	1	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with random near (value number measur\$5) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:56
S59	0	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit with (reduc\$5 eliminat\$3) with (pattern periodic\$4) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:57
S60	1	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit same (reduc\$5 eliminat\$3) with (pattern periodic\$4) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:57
S61	21	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit and (reduc\$5 eliminat\$3) with (pattern periodic\$4) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707")	US- PGPUB; USPAT	OR	ON	2008/07/28 11:58

S62	20	(remov\$3 delet\$3) with ((high near order) (most near significant)) near bit and (reduc\$5 eliminat\$3) with (pattern periodic\$4) and (@ad<"20030707" @prad<"20030707" @rlad<"20030707") not S60	US- PGPUB; USPAT	OR	ON	2008/07/28 11:58
S63	1	(US-6947559-\$).did.	USPAT	OR	OFF	2008/07/28 12:17
S64	0	S63 and concatenat\$3	US- PGPUB; USPAT	OR	ON	2008/07/28 12:17
S65	0	S63 and concaten\$5	US- PGPUB; USPAT	OR	ON	2008/07/28 12:17
S66	1	S63 and combin\$5	US- PGPUB; USPAT	OR	ON	2008/07/28 12:18
S67	1	("7215775").URPN.	USPAT	OR	OFF	2009/01/08 12:06
S68	1	("2002/0023216").URPN.	USPAT	OR	OFF	2009/01/08 12:07
S69	1	(US-7215775-\$).did.	USPAT	OR	OFF	2009/01/08 12:45
S70	0	S69 and (internet ethernet)	US- PGPUB; USPAT	OR	ON	2009/01/08 12:45
S71	1	"20040158742".pn.	US- PGPUB; USPAT	OR	ON	2009/01/08 14:37
S72	0	("7215775" "6947559").pn. and internet	US- PGPUB; USPAT	OR	ON	2009/05/26 07:20
S73	2	("7215775" "6947559").pn.	US- PGPUB; USPAT	OR	ON	2009/05/26 07:20

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	(symmetrical with encryption near key). clm. same (useful adj data).clm.	USPAT; UPAD	OR	ON	2009/12/02 12:40
L5	0	(symmetrical with encryption near key). clm. and (useful adj data).clm.	USPAT; UPAD	OR	ON	2009/12/02 12:40

12/ 2/ 09 12:43:23 PM

C:\ Documents and Settings\ claforgia\ My Documents\ EAST\ Workspaces\ 10563504.wsp